

<http://dx.doi.org/10.1145/253260.253325>

- [11] C.-Y. Tsai and P.-H. Lo, A sequential pattern based route suggestion system, *International Journal of Innovative Computing, Information and Control*, vol.6, no.10, pp.4389-4408, 2010.
- [12] Y. L. Hsieh, D.-L. Yang and J. Wu, Using data mining to study upstream and downstream causal relationship in stock market, *Proc. of 2006 Joint Conference on Information Sciences*, Kaohsiung, Taiwan, 2006.
- [13] H. J. Hamilton and K. Karimi, The TIMERS II: Algorithm for the discovery of causality, *Proc. of the 9th Paci_c-Asia Conference on Knowledge Discovery and Data Mining*, Hanoi, Vietnam, pp.744-750, 2005.
- [14] U. Faghihi, P. Fournier-Viger, R. Nkambou and P. Poirier, Generic episodic learning model implemented in a cognitive agent by means of temporal pattern mining, *Proc. of IEA-AIE 2010*, Cordoba, Spain, pp.438-449, 2010.
- [15] G. Dong and J. Pei, *Sequence data mining*, Springer Science + Business Media, LLC, 2007.
- [16] D. Lo and S.-C. Khoo, SMARtIC: Toward building an accurate, robust and scalable specification miner, *Proc. of SIGSOFT Symposium on the Foundations of Software Engineering*, pp.265-275, 2006
<http://dx.doi.org/10.1145/1181775.1181808>
- [17] J. Yang, D. Evans, D. Bhardwaj, T. Bhat and M. Das, Mining temporal API rules from imperfect traces, *Proc. of International Conference on Software Engineering*, pp.282-291, 2006.
- [18] J. S. Deogun and L. Jiang, Prediction mining { An approach to mining association rules for prediction, *Proc. of RSFDGrC 2005 Conference*, Regina, Canada, pp.98-108, 2005.
- [19] P. Fournier-Viger, U. Faghihi, R. Nkambou and E. M. Nguifo, CMRules: An efficient algorithm for mining sequential rules common to several sequences, *Proc. of the 23th Int. Florida Artificial Intelligence Research Society Conference*, Daytona, USA, pp.410-415, 2010.
- [20] P. Fournier-Viger, R. Nkambou and V. S. Tseng, RuleGrowth: Mining sequential rules common to several sequences by Pattern-Growth, *SAC, TaiChung, Taiwan*, 2011.
<http://dx.doi.org/10.1145/1982185.1982394>
- [21] H. J. Hamilton and K. Karimi, The TIMERS II: Algorithm for the discovery of causality, *Proc. of the 9th Paci_c-Asia Conference on Knowledge Discovery and Data Mining*, Hanoi, Vietnam, pp.744-750, 2005.
- [22] S. K. Harms, J. Deogun and T. Tadesse, Discovering sequential association rules with constraints and time lags in multiple sequences, *Proc. of the 13th Int. Symp. on Methodologies for Intelligent Systems*, Lyon, France, pp.373-376, 2002.
http://dx.doi.org/10.1007/3-540-48050-1_47
- [23] Y. L. Hsieh, D.-L. Yang and J. Wu, Using data mining to study upstream and downstream causal relationship in stock market, *Proc. of 2006 Joint Conference on Information Sciences*, Kaohsiung, Taiwan, 2006.
- [24] T.M. Hasbi Shiddieqy, Rijalul Hadis, *Matahari Masa*, 1970.
- [25] Tom Fomby, *Association Rules (Affinity Analysis or Market Basket Analysis)*. Departemen of Economics Southern Methodist University Dallas. Texas, 2011.
- [26] J. and Kamber, M. Han, "Data Mining Concepts and Techniques Second Edition". Morgan Kauffman: San Francisco, 2006.
- [27] Mohammed J. Zaki and Wagner Meira *JRData Mining and Analysis (Fundamental Concepts and Algorithms)*. New York. Cambridge University Press, .. 2014.
- [28] M.J. Zaki, *SPADE: An Efficient Algorithm for Mining Frequent Sequences*. Computer Science Department, Rensselaer Polytechnic Institute, Troy, 2001.
- [29] Yanchang Zhao and Yonghua Cen. *Data Mining Applications with R*. Academic Press : UK , Amsterdam , the Netherlands, 2014.