

- [3] S. Olariu, & I. Stojmenovic, "Design Guidelines for Maximizing Lifetime and Avoiding Energy Holes in Sensor Networks with Uniform Distribution and Uniform Reporting," in *Proc. INFOCOM*, pp. 1-12, April 2006.
- [4] G. Xing, T. Wang, Z. Xie, and W. Jia, "Rendezvous planning in wireless sensor networks with mobile elements," *IEEE Trans. Mobile Computing*, vol. 7, no. 12, pp. 1430-1443, December 2008.
- [5] J. A. Hartigan and M. A. Wong, "Algorithm AS 136: A k-means clustering algorithm," *Applied Statistics*, vol. 28, no. 1, pp. 100-108, 1979.
- [6] K. Nitesh and P. K. Jana, "Dfda: a distributed fault detection algorithm in two tier wireless sensor networks," in *Proc. 3rd Int. Conf. Frontiers of Intelligent Computing: Theory and Applications (FICTA)*, pp. 739-746, 2015.
- [7] P. Komal, K. Nitesh and P. K. Jana, "Indegree-based path design for mobile sink in wireless sensor networks," in *Proc. 3rd International Conference on Recent Advances in Information Technology (RAIT)*, pp. 78-82, 2016.
- [8] M. Mishra, K. Nitesh and P. K. Jana, "A delay-bound efficient path design algorithm for mobile sink in wireless sensor networks," in *Proc. 3rd Int. Conf. Recent Advances in Information Technology (RAIT)*, pp. 72-77, 2016.
- [9] A. Kaswan, K. Nitesh and P. K. Jana, "Energy efficient path selection for mobile sink and data gathering in wireless sensor networks," *AEU-International Journal of Electronics and Communications*, vol. 73, pp. 110-118, March 2017.
- [10] A. Kaswan, K. Nitesh and P. K. Jana, "A routing load balanced trajectory design for mobile sink in wireless sensor networks," in *Proc. Int. Conf. Advances in Computing, Communications and Informatics (ICACCI)*, pp. 1669-1673, September 2016.
- [11] K. Nitesh, Md. Azharuddin and P. K. Jana, "Minimum spanning tree-based delay-aware mobile sink traversal in wireless sensor networks," *Int. J. Communication Systems*, January 2017, DOI: 10.1002/dac.3270.
- [12] K. Nitesh, Md. Azharuddin and P. K. Jana, "A novel approach for designing delay efficient path for mobile sink in wireless sensor networks," *Wireless Networks*, pp. 1-20, February 2017.
- [13] J. Luo and J. P. Hubaux, "Joint sink mobility and routing to increase the lifetime of wireless sensor networks: the case of constrained mobility," *IEEE/ACM Trans. Networking*, vol. 18, no.3, pp. 871-884, June 2010.
- [14] S. Jain, R.C. Shah, W. Brunette, G. Borriello and S. Roy, "Exploiting mobility for energy efficient data collection in sensor networks," *Mobile Networks Appl.* vol. 11, no. 3, pp. 327-339, 2006.
- [15] A. Chakrabarti et al., "Communication power optimization in a sensor network with a path-constrained mobile observer," *ACM Trans. Sensor Networks*, vol. 2, no. 3, pp. 297-324, 2006.
- [16] E. Guney et al., "Efficient integer programming formulations for optimum sink location and routing in heterogeneous wireless sensor networks," *Comput. Networks*, 2010.
- [17] C. Ioannis, K. Athanasios and N. Sotiris, "Sink mobility protocols for data collection in wireless sensor networks," in *Proc. 4th ACM international workshop on mobility management and wireless access, MobiWac*, pp. 52-59, New York 2006.
- [18] R.C. Shah, R.C., et al, W., "Data MULEs: modeling a three-tier architecture for sparse sensor networks," in *IEEE Workshop on Sensor Network Protocols and Applications (SNPA)*, pp. 30-41, 2003.
- [19] L. Tong, Q. Zhao, S. Adireddy, "Sensor networks with mobile agents," in *Proc. IEEE Military Communications Conference (MILCOM)*, vol. 22, pp. 688-693, Boston, October 2003.
- [20] A. Chakrabarti, A. Sabharwal, B. Aazhang, "Using predictable observer mobility for power efficient design of sensor networks," in *Proc. 2nd international conference on information processing in sensor networks, IPSN, Heidelberg: Springer-Verlag*; pp. 129-145, 2003, Berlin.
- [21] G. Shuai, Z. Hongke, S. K. Das, "Efficient data collection in wireless sensor networks with path-constrained mobile sinks," *IEEE Trans Mob Comput*, vol. 10, no. 4, pp. 592-608, April 2011.
- [22] Y. Shi and Y.T. Hou, "Theoretical results on base station movement problem for sensor network," in *Proc. 27th Conference on Computer Communications, IEEE INFOCOM*, April 2008.
- [23] A. A. Somasundara, A. Ramamoorthy, M. B. Srivastava, "Mobile element scheduling with dynamic deadlines," *IEEE Trans Mob Comput*, vol. 6, no. 4, pp. 395-410, April 2007.
- [24] G. Xing, M. Li, T. Wang, W. Jia and J. Huang, "Efficient rendezvous algorithms for mobility-enabled wireless sensor networks," *IEEE Trans. Mobile Comput*, vol. 11, no. 1, pp. 47-60, January 2012.
- [25] Y. Shi and Y. T. Hou, "Optimal base station placement in wireless sensor networks," *ACM Trans. Sensor Networks*, vol. 5, no. 4, article no. 32, November 2009.
- [26] H. Salarian, K. W. Chin, and F. Naghdy, "An energyefficient mobile-sink path selection strategy for wireless sensor networks," *IEEE Transactions on Vehicular Technology*, vol. 63, no. 5, pp.2407-2419, 2014.