

<http://dx.doi.org/10.1016/j.envsci.2007.01.003>

- [5] B. R. Mohan, S. Biswas, and B. Meikap, "Performance characteristics of the particulates scrubbing in a counter-current spray-column," *Separation and Purification Technology*, vol. 61, pp. 96-102, 2008.
<http://dx.doi.org/10.1016/j.seppur.2007.09.018>
- [6] C. Ehrlich, G. Noll, W.-D. Kalkoff, G. Baumbach, and A. Dreiseidler, "PM 10, PM 2.5 and PM 1.0—Emissions from industrial plants—Results from measurement programmes in Germany," *Atmospheric Environment*, vol. 41, pp. 6236-6254, 2007.
<http://dx.doi.org/10.1016/j.atmosenv.2007.03.059>
- [7] B. R. Mohan, R. Jain, and B. Meikap, "Comprehensive analysis for prediction of dust removal efficiency using twin-fluid atomization in a spray scrubber," *Separation and Purification Technology*, vol. 63, pp. 269-277, 2008.
<http://dx.doi.org/10.1016/j.seppur.2008.05.006>
- [8] B.-K. Lee, B. R. Mohan, S.-H. Byeon, K.-S. Lim, and E.-P. Hong, "Evaluating the performance of a turbulent wet scrubber for scrubbing particulate matter," *Journal of the Air & Waste Management Association*, vol. 63, pp. 499-506, 2013.
<http://dx.doi.org/10.1080/10962247.2012.738626>
- [9] B. A. Danzomo, "Intelligent control of wet scrubber system for Gas-Particle separations " Ph.D., Mechtronics Engineering, International Islamic University, Malaysia, 2014.
- [10] J. C. Chang and S. B. Ghorishi, "Simulation and evaluation of elemental mercury concentration increase in flue gas across a wet scrubber," *Environmental science & technology*, vol. 37, pp. 5763-5766, 2003.
<http://dx.doi.org/10.1021/es034352s>
- [11] K.-I. Choi and D.-H. Lee, "PCDD/DF concentrations at the inlets and outlets of wet scrubbers in Korean waste incinerators," *Chemosphere*, vol. 66, pp. 370-376, 2007.
<http://dx.doi.org/10.1016/j.chemosphere.2006.04.094>
- [12] P. Keshavarz, Y. Bozorgi, J. Fathikalajahi, and M. Taheri, "Prediction of the spray scrubbers' performance in the gaseous and particulate scrubbing processes," *Chemical Engineering Journal*, vol. 140, pp. 22-31, 2008.
<http://dx.doi.org/10.1016/j.cej.2007.08.034>
- [13] K. Yetilmezsoy and A. Saral, "Stochastic modeling approaches based on neural network and linear–nonlinear regression techniques for the determination of single droplet collection efficiency of countercurrent spray towers," *Environmental Modeling & Assessment*, vol. 12, pp. 13-26, 2007.
<http://dx.doi.org/10.1007/s10666-006-9048-4>
- [14] B. A. Danzomo, M.-J. E. Salami, M. R. Sani Jibrin, and I. M. Nor, "Performance Evaluation of Wet Scrubber System for Industrial Air Pollution Control," 2012.
- [15] B. A. Danzomo, M.-J. E. Salami, R. M. Khan, and M. I. B. M. Nor, "CFD based parametric analysis of gas flow in a counter-flow wet scrubber system," *Momentum*, vol. 10, p. 1, 2013.
<http://dx.doi.org/10.11648/j.ijjpp.20130102.11>
- [16] B. A. Danzomo, M.-J. E. Salami, and M. R. Khan, "Artificial Neural Network Model for Predicting Wet Scrubber Performance," 2012
- [17] B. A. Danzomo, M. J. E. Salami, and M. Khan, "Hardware Implementation of ANFIS Controller for Gas-Particle Separations in Wet Scrubber System," in *Computer and Communication Engineering (ICCCE), 2014 International Conference on*, 2014, pp. 277-280.
<http://dx.doi.org/10.1109/iccce.2014.85>
- [18] A. M. Roshandeh, O. C. Puan, and M. Joshani, "Data analysis application for variable message signs using fuzzy logic in Kuala Lumpur," *International Journal of Systems Applications, Engineering & Development*, vol. 3, pp. 18-27, 2009.
- [19] P. Manimala and M. K. E. S. Loga, "Intelligent control of eleven level cascaded inverter with reduced number of switches using step modulation," 2015.