

5. Acknowledgements

This study was supported by funding from the environmental improvement special account national subsidy program of National Institute of Environment Research(076-1900-1946-303-330).

6. References

- [1] Jewell T. K., and Adrian D. D., Development of improved stormwater quality models, *Journal Environmental Engineering*, ASCE Vol. 107(EE5), pp.150-157, 1981.
- [2] Gregory, W. C., and Mark R. W., Particles, Metals, and Water Quality in runoff from large urban watershed, *Journal of Environmental Engineering*, ASCE, 123(8), pp. 753-759, 1997.
- [3] Baca, R. G. and R. C. Arenett, *A Limnology Model for Eutrophic Lakes and Impoundments*, Battelle Pacific Northwest Laboratories, Richland, Washington, 1976.
- [4] Banks, J. D. Gerstein, and S. P. Searles, Modeling processes, validation and verification of complex simulations: A survey, *Methodology and validation, simulation series*, Vol. 19, No. 1, The society for computer simulation, 1988, pp.13-18.
- [5] Blumberg, A. F. and Mellor, G.L., A description of three-dimensional coastal ocean circulation model. Three-dimensional Coastal Ocean Models. AGU, 1987, pp.1-16.
- [6] Collins, C. D. and J.H. Wlosinski. 1983. Coefficients for Use in the U.S. Army Corps of Engineers Reservoir Model, CE-QUAL-R1. U.S. Army Corps of Engineers, Waterways Experiment Station, Vicksburg, Mississippi.